




Vibration Isolators & Inertia Base






OUR INTERNATIONAL DISTRIBUTION NETWORK ACROSS THE WORLD

SPRING MOUNTS

25 mm Standard Deflection




Features and Benefits

- Spring Mounts are used to isolate noise and vibration from floor mounted equipment
- Pumps, packaged air handling units, air condition units, centrifugal and axial fans, inertia base etc.
- **Verdant** spring Mount are fabricated using high quality natural Neoprene rubber and heavy steel spring.
- Powder coated spring.
- Color coded spring as per load ratings.

Selection Table For 25 mm Deflection Open Spring Mounts								
Isolator Model	Rated Load(Kg)	Spring Color (s)	Demansion (mm)					
			L	W	H	BC	D	d
VISM 1-10	10	RED	91	55	105	76	M 10	M 8
VISM 1-15	15	BLACK						
VISM 1-20	20	BLUE						
VISM 1-30	30	PINK						
VISM 1-40	40	BLACK						
VISM 1-60	60	BLUE						
VISM 1-100	100	MAROON						
VISM 1-160	160	WHITE	133	70	144	112	M 12	M 10
VISM 1-200	200	YELLOW						
VISM 1-250	250	RED						
VISM 1-300	300	D. BROWN						
VISM 1-400	400	D. GREEN						
VISM 1-500	500	GREY						
VISM 1-600	600	ORANGE						
VISM 1-800	800	L. GREEN	151	85	144	130	M 12	M 10
VISM 1-1000	1000	L.BLUE						
VISM 1-1250	1250	WHITE						

SPRING MOUNTS

50 mm Standard Deflection



Features and Benefits

- Spring Mounts are used to isolate noise and vibration from floor mounted equipment
- Pumps, packaged air handling units, air condition units, centrifugal and axial fans, inertia base etc.
- **Verdant** spring Mount are fabricated using high quality natural Neoprene rubber and heavy steel spring.
- Powder coated spring.
- Color coded spring as per load ratings□

Selection Table For 25 mm Deflection Casing Spring Mounts

Isolator Model	Rated Load(Kg)	Spring Color (s)	Demansion (mm)					
			L	W	H	BC	D	d
VISM 2-10	10	RED	91	35	105	76	M 10	M 8
VISM 2-20	20	BLUE						
VISM 2-50	50	BLACK						
VISM 2-80	80	MAROON						
VISM 2-100	100	WHITE						
VISM 2-150	150	YELLOW						
VISM 2-200	200	PINK						
VISM 2-300	300	PURPLE						
VISM 2-400	400	D. GREEN	133	70	144	112	M 12	M 10
VISM 2-500	500	GREY						
VISM 2-600	600	ORANGE						
VISM 2-800	800	L. GREEN	151	85	144	130	M 12	M 10
VISM 2-1000	1000	L.BLUE						
VISM 2-1250	1250	WHITE						

NOTE

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Warehouse No. 44 , Block A
UAQ free Trade Zone
Umm Al Quwain UAE

 +971 6 539 1555
 sales@verdanttrading.com



www.verdantuae.com